according to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4) revision: 2021-05-31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1 LÄCK SÖKARE -15 °C Trade name 400 ml Unique formula identifier (UFI) Article number 899.999.955 Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses leak finder general use Uses advised against do not use for products which come into contact with foodstuffs 1.3 Details of the supplier of the safety data sheet **DUNLOPHIFLEX Industrial Solutions** Box 536 301 80 Halmstad Sweden Telephone: 0104-14 44 00 Telefax: 0104-14 44 07 Website: www.dunlophiflex.se

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment	
2.3	aerosols	Cat. 3	(Aerosol 3)	H229	

Remarks

For full text of H-phrases: see SECTION 16.

2.2 Label elements

Edder elements						
Labelling according to Regulation (EC) No 1272/2008 (CLP)						
Warning						
not required						
Pressurised container: May burst if heated.						
If medical advice is needed, have product container or label at hand. Keep out of reach of children.						
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.						
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.						
Dispose of contents/container in accordance with local/regional/national/international regulations.						

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to EU regulation						
Name of substance	Identifier	Wt%	Classification acc. to 1272/ 2008/EC	Picto- grams		
carbon dioxide	CAS No 124-38-9 EC No 204-696-9	1-<5	Press. Gas C / H280	\Diamond		

according to Regulation (EC) No. 1907/2006 (REACH)

899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4) Date of compilation: 2021-05-31

Hazardous ingredients acc. to EU regulation						
Name of substance	Identifier	Wt%	Classification acc. to 1272/ 2008/EC	Picto- grams		
Amines, C12-16-alkyldimethyl, N- oxides	CAS No 85408-49-7 EC No 938-774-5 REACH Reg. No 01-2119952581-36	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411			

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water. Take off contaminated clothing.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media water spray, BC-powder Unsuitable extinguishing media water iet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

according to Regulation (EC) No. 1907/2006 (REACH) 899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel Remove persons to safety.

For emergency responders Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Collect spillage (universal binder).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

• Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Control of effects

• Protect against external exposure, such as

frost

Consideration of other advice

Observe instructions for use. Keep out of reach of children.

• Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters National limit values

according to Regulation (EC) No. 1907/2006 (REACH)

carbon dioxide

899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

Date of compilation: 2021-05-31

2006/ 15/EC

Occupational exposure limit values (Workplace Exposure Limits)											
Coun try	Name of agent	CAS No	Nota tion	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Sourc e
DE	carbon dioxide	124-38-9		AGW	5,000	9,100	10,000	18,200			TRGS 900

5,000

IOEL

Notation

Ceiling-C

ΕU

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) STEL TWA

9,000

Relevant DNELs/DMELs/PNECs and other threshold levels • relevant DNELs of components of the mixture

124-38-9

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	DNEL	11 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	DNEL	6.2 mg/m ³	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

• relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environment- al compart- ment	Exposure time
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	0.0335 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	0.00335 ^{mg} /l	aquatic organisms	marine water	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	24 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	5.24 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	0.524 ^{mg} / _{kg}	aquatic organisms	marine sedi- ment	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	11.1 ^{mg} / _{kg}	aquatic organisms	water	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	1.02 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)
Amines, C12-16-al- kyldimethyl, N-ox- ides	85408- 49-7	PNEC	0.0335 ^{mg} / _l	aquatic organisms	water	intermittent release


8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

according to Regulation (EC) No. 1907/2006 (REACH) 899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)





Eye/face protection

Use protective eyewear to guard against splash of liquids. **Skin protection**

hand protection

Wear protective gloves. (Splash protection)

• type of material

NR: natural rubber, latex, FKM: fluoro-elastomer

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection Full face mask/half mask/quarter mask (EN 136/140) **Environmental exposure controls**

Use appropriate container to avoid environmental contamination.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Colour Odour Other physical and chemical parameters pH (value) Melting point/freezing point Initial boiling point and boiling range Flash point

Flammability (solid, gas) Explosive limits Vapour pressure Density Solubility(ies) Partition coefficient

n-octanol/water (log KOW) Auto-ignition temperature Viscosity Explosive properties Oxidising properties

9.2 Other information

aerosol (spray aerosol) colourless characteristic

7.7 (20 °C) -56.6 °C not applicable (aerosol) not applicable (aerosol) not determined not applicable (aerosol) non-flammable aerosol in accordance with GHS criteria not determined 6.5 bar at 20 °C 1.001 ^g/_{ml} (calculated value) not determined

This information is not available. >400 °C not relevant (aerosol) none none There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH) 899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. - Keep away from heat. **Hints to prevent fire or explosion** Protect from sunlight.

Protect from sunlight

Physical stresses which might result in a hazardous situation and have to be avoided high temperatures

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Amines, C12-16-alkyldimethyl, N-oxides	85408-49-7	oral	1,724 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

according to Regulation (EC) No. 1907/2006 (REACH)

899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Wassergefährdungsklasse, WGK (water hazard class) (WGK; Germany): 1 (slightly hazardous to water)

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	
Amines, C12-16-alkyldimethyl, N- oxides	85408-49-7	biotic/abiotic	90 %	28 d	

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Amines, C12-16-alkyldimethyl, N- oxides	85408-49-7		<2.7	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

16 05 04* gases in pressure containers (including halons) containing hazardous substances

15 01 10* packaging containing residues of or contaminated by hazardous substances

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	1950
14.2	UN proper shipping name	AEROSOLS
14.3	Transport hazard class(es)	
	Class	2 (gases) (aerosol)
	Subsidiary risk(s)	2.2
14.4	Packing group	not assigned to a packing group
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
146	Special procautions for user	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Date of compilation: 2021-05-31

according to Regulation (EC) No. 1907/2006 (REACH)

899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

Date of compilation: 2021-05-31

14.7	Transport in bulk according to Annex II of MARPOL and the IBC	Code						
	The cargo is not intended to be carried in bulk.							
	Information for each of the UN Model Regulations							
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)							
	UN number	1950						
	Proper shipping name	AEROSOLS						
	Class	2						
	Classification code	5A						
	Danger label(s)	2.2						
	2							
	Special provisions (SP)	190, 327, 344, 625						
	Excepted quantities (EQ)	EO						
	Limited quantities (LQ)	1 L						
	Transport category (TC)	3						
	Tunnel restriction code (TRC)	E						
	 International Maritime Dangerous Goods Code (IMDG) 							
	UN number	1950						
	Proper shipping name	AEROSOLS						
	Class	2.2						
	Danger label(s)	2.2						
	2							
	Special provisions (SP)	63, 190, 277, 327, 344, 381, 959						
	Excepted quantities (EQ)	EO						
	Limited quantities (LQ)	1 L						
	EmS	F-D, S-U						
	Stowage category	-						
	• International Civil Aviation Organization (ICAO-IATA/DGR)							
	UN number	1950						
	Proper shipping name	Aerosols, non-flammable						
	Class	2.2						
	Danger label(s)	2.2						
	Special provisions (SP)	A98, A145, A167						
	Excepted quantities (EQ)	EO						
	Limited quantities (LQ)	30 kg						

according to Regulation (EC) No. 1907/2006 (REACH) 899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

SECTION 15: Regulatory information

Date of compilation: 2021-05-31

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) • Restrictions according to REACH, Annex XVII None of the ingredients are listed. • List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list none of the ingredients are listed • Directive 75/324/EEC relating to aerosol dispensers			
	Classification of the gas/aerosol	Non-flammable		
	Labelling	Keep out of reach of children Pressurized container: may burst if heated Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Do not pierce or burn, even after use Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F		
	Net contents by volume	400 ml		

• Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

• Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Name of substance	CAS No	Re- marks	Threshold for releases to air (kg/ year)	Threshold for releases to land (kg/ year)
carbon dioxide	124-38-9		100 million	

• Water Framework Directive (WFD)

Name of substance	CAS No	Listed in	Remarks
carbon dioxide		A)	

Legend

A) Indicative list of the main pollutants

National regulations (Germany)

• Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water 1 (slightly hazardous to water) hazard class)

• Technical instructions on air guality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concen- tration	Notation
5.2.5	organic substances		≥25 wt%	0.5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

3)

A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

• Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK):

2 B (aerosol dispensers and lighters)

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

according to Regulation (EC) No. 1907/2006 (REACH)

899.999.955 - LÄCK SÖKARE -15 °C - 400 ml

Version number: GHS 5.0 Replaces version of: 2021-05-31 (GHS 4)

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbi eviacions and ac	unying the second se
2006/15/EC.	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.
Acute Tox.	Acute toxicity.
ADN.	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement
	concerning the International Carriage of Dangerous Goods by Inland Waterways).
ADR.	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the Internation-
ADR.	
1.011	al Carriage of Dangerous Goods by Road).
AGW.	Workplace exposure limit.
Aquatic Acute.	Hazardous to the aquatic environment - acute hazard.
Aquatic Chronic.	Hazardous to the aquatic environment - chronic hazard.
ATE.	Acute Toxicity Estimate.
BCF.	Bioconcentration factor.
BOD.	Biochemical Oxygen Demand.
CAS.	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
Ceiling-C.	Ceiling value.
CLP.	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
CMR.	Carcinogenic, Mutagenic or toxic for Reproduction.
COD.	Chemical oxygen demand.
DGR.	Dangerous Goods Regulations (see IATA/DGR). Derived Minimal Effect Level.
DMEL.	Derived Minimal Effect Level.
DNEL.	Derived No-Effect Level.
EC No.	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially avail-
	able within the EU (European Union)
EINECS.	European Inventory of Existing Commercial Chemical Substances.
ELINCS.	European List of Nótified Chemical Substances.
EmS.	Emergency Schedule.
Eye Dam.	Seriously damaging to the eye.
Eye Irrit.	Irritant to the eye.
GHS.	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.
IATA.	International Air Transport Association.
IATA/DGR.	Dangerous Goods Regulations (DGR) for the air transport (IATA).
ICAO.	International Civil Aviation Organization.
IMDG.	International Maritime Dangerous Goods Code.
IOELV.	Indicative occupational exposure limit value.
LGK.	Lagerklasse (storage class according to TRGS 510, Germany).
Log KOW.	n-Öctanol/water.
MĂRPOL.	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant").
NLP.	No-Longer Polymer.
PBT.	Persistent, Bioaccumulative and Toxic.
PNEC.	Predicted No-Effect Concentration.
Ppm.	Parts per million.
Press. Gas.	Gas under pressure.
REACH.	Registration, Evaluation, Authorisation and Restriction of Chemicals.
RID.	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage
Nub.	of Dangerous goods by Rail).
Skin Corr.	Corrosive to skin.
Skin Irrit.	Irritant to skin.
STEL.	Short-term exposure limit.
SVHC.	Substance of Very High Concern.
TRGS.	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).
TRGS 900.	Arbeitsplatzgrenzwerte (TRGS 900).
TWA.	Time-weighted average.
VPvB.	Very Persistent and very Bioaccumulative.

Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

H229.	Pressurised container: May burst if heated.
H280.	Contains gas under pressure; may explode if heated.
H302.	Harmful if swallowed.
H315.	Causes skin irritation.
H318.	Causes serious eye damage.
H400.	Very toxic to aquatic life.
H411.	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Date of compilation: 2021-05-31